

HEXPRESS CRIMPING TOOLS

HEXPRESS A - 6

Crimping Capacity :
0.5mm² to 6mm²
Weight : 0.340gms



HEXPRESS B - 16

Crimping Capacity :
0.5mm² to 16mm²
Weight : 0.600gms




HEXPRESS F1 - 185

Dies : R - 1 to R - 13
Crimping Capacity :
10mm² to 185mm²
Weight : 6.450kgs



HEXPRESS F1 -185 (HEX Profile Die)

Dies : R - 1 to R - 13
Crimping Capacity :
10mm² to 185mm²
Weight : 6.450kgs



HEXPRESS G - 400

Dies : Hex Profile
Crimping Capacity :
25mm² to 400mm²
Weight : 9.600kgs



HEXPRESS G1 - 400

{Gear Operated}
Dies : R - 11 to R - 18
Crimping Capacity :
50mm² to 400mm²
Weight : 9.500kgs



HEXPRESS HY - 400

{Hydraulic}
Dies : R - 11 to R - 18
Crimping Capacity :
upto 400mm²
Weight : 16.500kgs



HEXPRESS HY - 1000

{Hydraulic}
Dies : R - 11 to R - 29
Crimping Capacity :
upto 1000mm²
Weight : 25.500kgs

HEXPRESS - H - 50

(Dieless) Crimping Capacity :
for Cu. & Al.

Crimping socket : 25, 35 & 50mm²
for Ring Type : 16, 25 & 35mm²
Weight : 1.700kgs



HEXPRESS - H - 70


(Dieless)
for Ring Type only
Crimping Capacity :
16 to 70mm²
Weight : 2.950kgs



HEXPRESS HYF - 400

(Hydraulic Foot Operated)

Crimping Capacity :
50mm² to 400mm²
Weight : 17kgs



F1 - 185

Ring Type Die
R - 1 to R - 13



G - 400

Hex Profile Die
H - 50 to H - 400



G1 - 400

Hex Profile Die
H - 50 to H - 400



HY - 400

R - 11 to R - 15

R - 16 to R - 18



HY - 1000

R - 11 to R - 14

R - 15 to R - 18

R - 19 to R - 29



PLEASE NOTE :

Die Nos. R-8 does not exist for any type of tool

HEXPRESS - 01

(For Insulated)

Crimping Capacity :
1.5mm² to 2.5mm² 4.6mm²
Weight : 0.556gms



HEXPRESS - 02

(2 in 1) Insulation & End Sealing Ferrules

Crimping Capacity : 0.5mm² - 2.5mm²
Weight : 0.414gms



HEXPRESS - 03

(For End Sealing Ferrules)

Crimping Capacity :
0.25mm² - 6mm²
Weight : 0.420gms



HEXPRESS - 04

(For End Sealing Ferrules)

Crimping Capacity :
6mm² - 16mm²
Weight : 0.556gms



HEXPRESS - 05

(3 in 1) Insulation,
End Sealing & Ordinary Lugs

Crimping Capacity :
0.5mm² - 6mm²
Weight : 0.702gms



HEXPRESS - 06

(Hydraulic Hand Operated)

Crimping Capacity :
16mm² - 300mm²
Weight : 5.100kgs



HEXPRESS - 07

HEAVY DUTY

(Hydraulic Hand Operated)

Crimping Capacity :
16mm² - 300mm²
Weight : 5.317kgs



HEXPRESS - 09

(Wire Cutter)

Cutting Capacity :
upto 30mm²
Weight : 0.160gms



HEXPRESS - 10

(Wire stripper cum cutter) (2 in 1)

Cutting Capacity :
0.6mm² - 5mm²
Weight : 0.290gms



HEXPRESS - 11

(Fasting Tool for Cable Tie)


Suitable for just bind Wire &
Automatic Cutting
Weight : 0.330gms



HEXPRESS - 12

(Snap On)

Crimping Capacity :
1.5mm², 2.5mm² & 4.6mm²
Weight : 0.548gms



HEXPRESS - 13

(Cable Cutter) Cutting Capacity :
upto 500mm²
Weight : 2.724kgs



HEXPRESS - 14

(Wire Cutter)
Cutting Capacity :
up to 70mm²
Weight : 0.290kgs



HEXPRESS - 15

(Ratcheting Cable Cutter with Adjustable Handle)
Cutting for ACSR Armored Cable,
Copper & Aluminium Cable
NOT FOR CUTTING STRESSED STEEL WIRE
Cutting Capacity :
up to 400mm²
Weight : 1.8kgs

